



Time/Date: PAA173398.pdf 1 5/3/21 1:59 PM

		Project No.		Artwork Number		Description		Country	
PS000387		PAA173398		PFE-BNT		SKU No.		US	
rev. 08/JUN/11		Dimensions		Drawing No.		Item		Label	
1.875" x 0.625"		DWG-50087131-0000-01		F000052022		EDITOR'S COPY		GS: M. Patterson DATE: 13-APR-2021	
Additional Info:		Colors:		No Varnish		LVF		Dieline	
(01)10359267100013		Black		PMS 7671		GS / ART REV (LCA)		CHANGES	
Migr D. M. Guerin		Rev GA		PR		CHANGES		OK	
GS M. Patterson		3		OK		GS / ART REV (FA)		CHANGES	
GA Dina E.H.								OK	

NO COPY

NDC 59267-1000-2

Pfizer-BioNTech COVID-19 Vaccine

Suspension for Intramuscular Injection

195 Multiple Dose Vials

(after dilution each vial contains 6 doses of 0.3 mL)

STORAGE: Prior to dilution, store at -80°C to -60°C (-112°F to -76°F). Store in this carton to protect from light.

DOSAGE AND ADMINISTRATION: After dilution, each vial contains 6 doses of 0.3 mL. See FDA-authorized Fact Sheet or scan QR code for information.

MUST BE DILUTED BEFORE USE with sterile 0.9% Sodium Chloride Injection, USP (not supplied). After dilution, store the vaccine at 2°C to 25°C (35°F to 77°F). Discard after 6 hours. Contains no preservative. For use under Emergency Use Authorization.

Rx only

Manufactured for BioNTech Manufacturing GmbH An der Goldgrube 12 55131 Mainz, Germany

Manufactured by Pfizer Inc. New York, NY 10017

FPO: QR Code
<https://www.pfizer.com/pfizerbiontechcovdivax>

359267100023

FPO - USCA @ 80%

PAA173397

GTIN 00359267100023

LOT: *****A

EXP: MM YYYY

FPO GS1 Data Matrix

NO COPY

Pfizer-BioNTech COVID-19 Vaccine
Suspension for Intramuscular Injection
195 Multiple Dose Vials
(after dilution each vial contains 6 doses of 0.3 mL)

STORAGE: Prior to dilution, store at -80°C to -60°C (-112°F to -76°F). Store in this carton to protect from light.

DOSAGE AND ADMINISTRATION: After dilution, each vial contains 6 doses of 0.3 mL. See FDA-authorized Fact Sheet or scan QR code for information.

MUST BE DILUTED BEFORE USE with sterile 0.9% Sodium Chloride Injection, USP (not supplied). After dilution, store the vaccine at 2°C to 25°C (35°F to 77°F). Discard after 6 hours. Contains no preservative.

PAA173397

GTIN 00359267100023

LOT: *****A

EXP: MM YYYY


FPO GS1 Data Matrix

NO COPY

Copy Verification Feature
OCRB 8 pts
Centered In Area
See NOTES for more
details

Time/Date: PAA173397.pdf 1 5/6/21 6:39 AM

 rev. 08JUN11	Project No.		Artwork Number		Description		Country	
	PS000387		PAA173397		PFE-BNT		US	
	Dimensions		Drawing No.		SKU No.		Item	
4.0" x 4.0"		DWG-50095940-000-01		F000052022		Tray Label		
Additional Info:		Colors:		☐ EDITOR'S COPY GS: M, Patterson DATE: 20-APR-2021				
		Black PMS 286 Process Cyan PMS 3278 PMS 2297 PMS 7671 LVF Dieline No Varnish						
Mgr	D. M. Guerin	Rev	GA	PR	GS / ART REV (LCA)	GS / ART REV (FA)		
GS	M. Patterson	4		CHANGES OK	CHANGES OK	CHANGES OK		
GA	Dina E.H.							



Time/Date: PAA173696.pdf 1 4/20/21 11:03 AM

 rev. 08JUN11	Project No.		Artwork Number		Description		Country	
	17063		PAA173696		BNT162b2		US	
	Dimensions		Drawing No.		SKU No.		Item	
1.875" x 0.625"		DWG-008343-00		Multiple		Label		
Additional Info: Minimum point size - 3.5pt. (01) 10359267100013		Colors: Black PMS 7671 Dieline		☐ EDITOR'S COPY GS: DATE:				
Mgr GS J. Wood GA T. Nowak	Rev 1	GA	PR	CHANGES OK	GS / ART REV (LCA) CHANGES OK	GS / ART REV (FA) CHANGES OK		

NO COPY

NDC 59267-1000-2

Pfizer-BioNTech COVID-19 Vaccine

Suspension for Intramuscular Injection

195 Multiple Dose Vials

(after dilution each vial contains
6 doses of 0.3 mL)

BIONTECH

STORAGE: Prior to dilution, store at -90°C to -60°C (-130°F to -76°F). Store in this carton to protect from light.

DOSAGE AND ADMINISTRATION: After dilution, each vial contains 6 doses of 0.3 mL. See FDA-authorized Fact Sheet or scan QR code for information.

MUST BE DILUTED BEFORE USE with sterile 0.9% Sodium Chloride Injection, USP (not supplied). After dilution, store the vaccine at 2°C to 25°C (35°F to 77°F). Discard after 6 hours. Contains no preservative. For use under Emergency Use Authorization. **Rx only**

Manufactured for
BioNTech
Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Manufactured by
Pfizer Inc.
New York, NY 10017

NO COPY

NO COPY

LOT:

EXP:

PAA188262

IMPRINT AREA
(reads this way)
NO VARNISH
NO COPY, NO INK,

NO COPY

NO COPY

LOT:

EXP:


PAA188262

IMPRINT AREA
(reads this way)
NO VARNISH
NO COPY, NO INK,

NO COPY

Time/Date: PAA188262.pdf 1 2/22/22 2:16 PM

 rev. 24AUG21	Project No.		Artwork Number		Description				Country		
	17616		PAA188262		BNT162b2				US		
	Dimensions		Drawing No.		SKU No.		Item				
4.0" x 4.0"		DWG-103853-00		F000050524		Tray Label					
Additional Info: Market Reference Only GTIN: 00359267100023			Colors: Black PMS 286 Process Cyan PMS 3278 PMS 2297 PMS 7671 Dieline No Varnish							☐ EDITOR'S COPY GS: _____ DATE: _____	
Mgr	D. M. Guerin		Rev	GA		PR		GS / ART REV (LCA)		GS / ART REV (FA)	
GS	J. Wood		1			CHANGES		CHANGES		CHANGES	
GA	S. Finch					OK		OK		OK	



L07EXP:

BIONTECH 

Pfizer-BioNTech COVID-19 Vaccine
Suspension for Intramuscular Injection
25 Multiple Dose Vials
(after dilution each vial contains 6 doses of 0.3 mL)

MUST BE DILUTED BEFORE USE with sterile 0.9% Sodium Chloride Injection, USP (not supplied). After dilution, store the vaccine at 2°C to 25°C (35°F to 77°F). Discard after 6 hours.

Manufactured for
BioNTech
Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany

Manufactured by
Pfizer Inc.
New York, NY 10017


 H-C-E-N-T-E-I-O-N-I-E



STORAGE: Prior to dilution, store at -90°C to -60°C (-130°F to -76°F). Store in this carton to protect from light.

DOSAGE AND ADMINISTRATION:
After dilution, each vial contains 6 doses of 0.3 mL. Contains no preservative.

For use under Emergency Use Authorization.



Time/Date: PAA188261.pdf 1 2/28/22 9:59 AM

		Project No.		Artwork Number		Description		Country	
		17616		PAA188261		BNT162B2		US	
Additional Info:		Dimensions		Drawing No.		SKU No.		Item	
83mm x 83mm x 39mm		DWG-008558-01		F000051489		Carton			
Colors:		Black		PMS 286 Process Cyan		PMS 3278		PMS 7671	
Market Reference Only		GTIN: 0035267100030		Dialine		No Varnish		DATE:	
Mr D. M. Guerin		Rev		GA		CHANGES		OK	
GS J. Wood		1		PR		CHANGES		OK	
GA S. Finch				GS / ART REV (LCA)		CHANGES		OK	
				GS / ART REV (FA)		CHANGES		OK	


PAA188261

Rx only
NDC 59267-1000-3
Pfizer-BioNTech COVID-19 Vaccine
Suspension for Intramuscular Injection
25 Multiple Dose Vials
(after dilution each vial contains 6 doses of 0.3 mL)

MUST BE DILUTED BEFORE USE with sterile 0.9% Sodium Chloride Injection, USP (not supplied). After dilution, store the vaccine at 2°C to 25°C (35°F to 77°F). Discard after 6 hours.



See FDA-authorized Fact Sheet or scan QR code for information.



ROTULADO INMEDIATO

Vacuna Pfizer – BioNTech COVID-19

Después de la dilución, un vial contiene 6 dosis de 0.3 mL

Para uso intramuscular. No contiene conservantes.

Para uso bajo autorización de uso de emergencia.

DILUIR ANTES DE USAR. Desechar 6 horas después
dilución cuando se almacena de 2 a 25 °C (35 a 77 °F).

Fecha y hora de dilución:

Lot/Exp

ROTULADO MEDIATO**Vacuna Pfizer-BioNTech COVID-19**

Suspensión para inyección intramuscular

25 viales de dosis múltiple

(Después de la dilución, un vial contiene 6 dosis de 0.3 mL)

DEBE DILUIRSE ANTES DE USARLO con inyecciones estériles de cloruro de sodio al 0.9%, USP (no suministrado).

Después de la dilución, almacene la vacuna entre 2 °C y 25 °C (35 °F a 77 °F).

Desechar después de 6 horas

Biontech Pfizer

LOT/EXP:

Fabricado para BioNTech Manufacturing GmbH, An der Goldgrube 12

55131 Mainz, Alemania

Fabricado por Pfizer Inc. Nueva York, NY 10017

Biontech Pfizer

ALMACENAMIENTO: Antes de la dilución, almacenar a -90 °C a -60 °C (de -130 °F a -76 °F).

Conservar en esta caja para protegerlo de la luz.

DOSIS Y ADMINISTRACION: Después de la dilución, cada vial contiene 6 dosis de 0,3 mL.

No contiene conservantes.

Para uso bajo Autorización de Uso de Emergencia.

Vacuna Pfizer-BioNTech COVID-19

Solo Receta

Suspensión para inyección intramuscular

25 viales de dosis múltiple

(Después de la dilución, un vial contiene 6 dosis de 0.3 mL)

DEBE DILUIRSE ANTES DE USARLO con inyecciones estériles de cloruro de sodio al 0.9%, USP (no suministrado).

Después de la dilución, almacene la vacuna entre 2 °C y 25 °C (35 °F a 77 °F).

Desechar después de 6 horas

Código QR

Consulte la hoja informativa autorizada por la FDA o escanee el Código QR para información.

ROTULADO MEDIATO**Vacuna Pfizer – BioNTech COVID-19**

Suspensión para inyección intramuscular

195 viales de dosis múltiples

(Después de la dilución, un vial contiene 6 dosis de 0.3 mL)

Pfizer Biontech

Código QR

ALMACENAMIENTO: Antes de la dilución, almacenar a -90 °C a -60 °C (de -130°F a -76 °F).

Conservar en esta caja para protegerlo de la luz.

DOSIS Y ADMINISTRACION: Después de la dilución, cada vial contiene 6 dosis de 0,3 mL.

Consulte la hoja informativa autorizada por la FDA o escanee el Código QR para información.

DEBE DILUIRSE ANTES DE USARLO con inyecciones estériles de cloruro de sodio al 0.9%, USP (no suministrado).

Después de la dilución, almacene la vacuna entre 2 °C y 25 °C (35° F a 77° F).

Desechar después de 6 horas.

No contiene conservantes.

Para uso bajo autorización de uso de emergencia.

Solo Receta

Fabricado para BioNTech Manufacturing GmbH, An der Goldgrube 12

55131 Mainz, Alemania

Fabricado por Pfizer Inc. Nueva York, NY 10017

LOT:

EXP:

Vacuna Pfizer – BioNTech COVID-19

Suspensión para inyección intramuscular

195 viales de dosis múltiples

(Después de la dilución, un vial contiene 6 dosis de 0.3 mL)

ALMACENAMIENTO: Antes de la dilución, almacenar a -90 °C a -60 °C (de -130°F a -76°F).

Conservar en esta caja para protegerlo de la luz.

DOSIS Y ADMINISTRACION:

Después de la dilución, cada vial contiene 6 dosis de 0,3 mL.

Consulte la hoja informativa autorizada por la FDA o escanee el Código QR para información.

DEBE DILUIRSE ANTES DE USARLO con inyecciones estériles de cloruro de sodio al 0.9%, USP (no suministrado).

Después de la dilución, almacene la vacuna entre 2 °C y 25 °C (35 ° F a 77 ° F).

Desechar después de 6 horas.

No contiene conservantes.

LOT:

EXP: