

date:14-Oct-21 10:57:42

ProcessPANTONW543 7597 Cool Structure#riable
Black 7671 C Gray 9 Varnish

COMIRNATY™
adults and adolescents from 12 years
dispersion for injection
30 micrograms/dose
COVID-19 mRNA Vaccine (nucleoside modified)
tozinameran
Intramuscular use, **Do not dilute prior to use**
10 multidose vials
(Each vial contains 6 doses of 0.3 mL.)

Expiry date at 2 °C to 8 °C:
(Maximum 10 weeks.
Cross out former expiry date.)

TEAR HERE

COMIRNATY™
adults and adolescents from 12 years
30 micrograms/dose
dispersion for injection
COVID-19 mRNA Vaccine (nucleoside modified), Do not dilute prior to use

Storage: Store at 2 °C to 8 °C after receipt. Do not refreeze once thawed. Store in the original package in order to protect from light. Read the package leaflet before use and for additional storage information. After first puncture, store at 2 °C to 30 °C and use within 12 hours.

Excipients: ALC-0315, ALC-0159, DSPC, cholesterol, trometamol, trometamol hydrochloride, sucrose, water for injections

BIONTECH | Pfizer
EU/1/20/1528/002
BionTech Manufacturing GmbH
An der Goldgrube 12, 55131 Mainz, Germany

PAA180830

PC:04290703260088
LOT/Exp/lot: 90 °C to -60 °C/SN:

K1031
SC031
ZWART
PU7671
GR7543
R07597
CoolGray9

Carton contain(s) coloured overprintarea(s)

itemnr.: PAA180830			
formatcode: K1031	Process Black	Item description	Issue reason
dimensions: 37x39x89	P7671C	C-COMIRNATY VAC 10X2.25 GVL RTU EU	LAUNCH OF RTU 10X PAR2021-0006447
date/initials: 10-Sep-21/SPEN	P7543C		
country: EU	P7597C		
sourcecode: 031	PCoolGray9C		

date:14-Oct-21 10:58:26

Process PANTON 543 7597 Cool Structure Writable
 Black 7671 C Gray 9 Varnish

Carton contain(s) coloured overprint area(s)

Itemnr.: PAA181041			
formatcode: K1029	Process Black	Item description	Issue reason
dimensions: 37x47x89	P7671C	C-COMIRNATY VAC 10X2.25 GVL RTU EU	LAUNCH OF RTU 10X PAR2021-0006447
date/initials: 10-Sep-21/SPEN	P7543C		
country: EU	P7597C		
sourcecode: 042	PCoolGray9C		

ROTULADO MEDIATO**COMIRNATY™****Adultos y adolescentes a partir de 12 años 30 microgramos/dosis**

dispersión inyectable

Vacuna COVID-19 ARNm (nucleósido modificado)

Tozinameran

Uso intramuscular, no diluir antes de usar.

10 viales multidosis (cada vial contiene 6 dosis de 0.3 mL)

Fecha de expiración a 2°C a 8°C:

(Máximo 10 semanas.

Tache la fecha de vencimiento anterior.)
-----**COMIRNATY™****Adultos y adolescentes a partir de 12 años 30 microgramos/dosis**

dispersión inyectable

Vacuna COVID-19 ARNm (nucleósido modificado), No diluir antes de usar.

Almacenamiento: Almacenar entre 2°C a 8°C después de recibirlo.

No vuelva a congelar una vez descongelada.

Consérvese en el embalaje original para protegerlo de la luz.

Lea el prospecto antes de usar y para obtener información adicional sobre conservación.

Después de la primera punción, almacenar entre 2 ° C y 30 ° C y usar dentro de las 12 horas.

Código QR

Escanee el código QR para más información

Excipientes: ALC-0315, ALC-0159, DSPC, colesterol, trometamol, clorhidrato de trometamol, sucrosa, agua para inyección.

Biontech Pfizer

Manufacturing GmbH

An der Goldgrube 12

55131 Mainz, Alemania

EU/1/20/1528/002

LOT/EXP (de -90 ° C a - 60 ° C)/SN: